

#### Wellness Procedures **Coding Guidelines**





BlueCross BlueShield of Mississippi





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
8 days through 35 months	M/F	Preventive medicine evaluation, re-evaluation, or office visit/10 visits within the first 35 months of life beginning with the 8th day of life (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Hemoglobin, hematocrit, or CBC/1 procedure at 12 months  Immunizations Lipid Profile/1 procedure per calendar year¹ (beginning at 2 years of age)	99381, 99382: Initial preventive medicine evaluation 99391, 99392: Periodic preventive medicine re-evaluation      85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC      See immunization codes.      80061: Lipid Profile      36415, 36416: Routine venipuncture	Z00.111 Health check for newborn 8 to 28 days old     Z00.121 Encounter for routine child health examination with abnormal findings     Z00.129 Encounter for routine child health examination without abnormal findings      Z13.220 Encounter for lipid disorders
3-11 years	M/F	<ul> <li>Preventive medicine evaluation, re-evaluation, or office visit/I visit per calendar year         (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Blood pressure, height and weight/I procedure per calendar year</li> <li>Hemoglobin, hematocrit, or CBC/I procedure between ages II-18</li> <li>Lipid Profile/I procedure per calendar year</li> <li>Immunizations</li> <li>Glucose/I procedure per calendar year (only for high-risk individuals²)</li> </ul>	99382, 99383: Initial preventive medicine evaluation 99392, 99393: Periodic preventive medicine re-evaluation      85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC      80061: Lipid Profile      See immunization codes.     82947: Glucose, quantitative 82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z00.121 Encounter for routine child health examination with abnormal findings     Z00.129 Encounter for routine child health examination without abnormal findings      Z13.220 Encounter for lipid disorders      Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>1</sup> See page 12 for additional lipid screening guidelines

<sup>&</sup>lt;sup>2</sup> See page 12 for additional glucose screening guidelines





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
12-17 years	M/F	Preventive medicine evaluation, re-evaluation, or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  If female, include breast exam if appropriate for stage of development/I procedure per calendar year  Blood pressure, height and weight/I procedure per calendar year  Hemoglobin, hematocrit, or CBC/I procedure between ages II-18  Immunizations  Lipid Profile/I procedure per calendar year  Glucose/I procedure per calendar year (only for high-risk individuals²)	99384: Initial preventive medicine evaluation 99394: Periodic preventive medicine re-evaluation      85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC      See immunization codes.     80061: Lipid Profile     82947: Glucose, quantitative 82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	<ul> <li>Z00.121 Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 Encounter for routine child health examination without abnormal findings</li> <li>Z12.39 Encounter for other screening for malignant neoplasm of breast</li> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>
18-34 years	F	Preventive medicine evaluation, re-evaluation, or office visit/I visit per calendar year  (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  Blood pressure, height and weight/I procedure per calendar year  Breast exam/I procedure per calendar year	99385: Initial preventive medicine evaluation 99395: Periodic preventive medicine re-evaluation	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings      Z12.39 Encounter for other screening for malignant neoplasm of breast
		<ul> <li>Hemoglobin, hematocrit, or CBC/I procedure between ages II-18</li> <li>Immunizations</li> <li>Pelvic exam/I procedure per calendar year</li> <li>Pap smear/I procedure every 3 years for ages 21-29</li> <li>Pap smear/I procedure every 3 years for ages 30-34 or I procedure every 5 years with HPV test</li> </ul>	<ul> <li>85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC</li> <li>See immunization codes.</li> <li>88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear</li> <li>87624, 87625, 0500T: HPV test</li> </ul>	<ul> <li>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.72 Encounter for screening for malignant neoplasm of vagina</li> <li>Z12.4 Encounter for screening for malignant neoplasm of cervix</li> </ul>
		Lipid profile/I procedure per calendar year     Glucose/I procedure per calendar year (only for high-risk individuals²)	80061: Lipid profile     82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.220 Encounter for screening for lipid disorders     Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>1</sup> See page 12 for additional lipid screening guidelines

<sup>&</sup>lt;sup>2</sup> See page 12 for additional glucose screening guidelines





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
35-39 years	F	Preventive medicine evaluation, re-evaluation or office visit/ I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year	99385: Initial preventive medicine evaluation 99395: Periodic preventive medicine re-evaluation	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings
		Breast exam/I procedure per calendar year		Z12.39 Encounter for other screening for malignant neoplasm of breast
		Immunizations	See immunization codes.	
		Pelvic exam/l procedure per calendar year	<ul> <li>88141-88143, 88147, 88148, 88150, 88152-88153,</li> </ul>	Z01.411 Encounter for gynecological examination
		Pap smear/I procedure every 3 years or I procedure every 5 years with HPV test	88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear • 87624, 87625, 0500T: HPV test	(general) (routine) with abnormal findings  • Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings  • Z12.72 Encounter for screening for malignant neoplasm of vagina  • Z12.4 Encounter for screening for malignant neoplasm of cervix
		Lipid profile/I procedure per calendar year	80061: Lipid profile	Z13.220 Encounter for screening for lipid disorders
		Mammogram/l procedure per calendar year	77067: Mammography     77063: Screening digital breast tomosynthesis bilateral All mammography codes can be filed with modifier 26 for the interpretation of the mammogram.	Z12.31 Encounter for screening mammogram for malignant neoplasm of breast     Z12.39 Encounter for other screening for malignant neoplasm of breast
		Glucose/I procedure per calendar year (only for high-risk individuals²)	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>2</sup> See page 12 for additional glucose screening guidelines





	ĺ	D 1 D 1 1/		
		Procedures Recommended/ Number of Times Recommended	CPT Codes Accepted	
Age	Sex	for Age Range	for Each Procedure	ICD-10-CM Code
18-39 years	М	Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year  (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  Blood pressure, height and weight/I procedure per calendar year	99385: Initial preventive medicine evaluation 99395: Periodic preventive medicine re-evaluation	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> </ul>
		<ul> <li>Hemoglobin, hematocrit, or CBC/I procedure between ages II-18</li> <li>Immunizations</li> <li>Lipid profile/I procedure per calendar year</li> </ul>	85018: Hemoglobin     85013, 85014: Hematocrit     85025, 85027, 85032, 85041, G0306, G0307: CBC     See immunization codes.     80061: Lipid profile	• Z13.220 Encounter for screening for lipid disorders
		Glucose/I procedure per calendar year (only for high-risk individuals²)	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus
40-49 years	F	Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year  Breast exam/I procedure per calendar year	99386: Initial preventive medicine evaluation 99396: Periodic preventive medicine re-evaluation	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> <li>Z12.39 Encounter for other screening for malignant</li> </ul>
		Breast examin procedure per calendar year		neoplasm of breast
		Immunizations     Pelvic exam/I procedure per calendar year     Pap smear/I procedure every 3 years or I procedure every 5 years with HPV test	See immunization codes.     88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear     87624, 87625, 0500T: HPV test	<ul> <li>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.72 Encounter for screening for malignant neoplasm of vagina</li> </ul>
		Lipid profile/I procedure per calendar year     Mammogram/I procedure per calendar year	80061: Lipid profile     77067: Mammography     77063: Screening digital breast tomosynthesis bilateral     All mammography codes can be filed with modifier 26     for the interpretation of the mammogram.	<ul> <li>Z12.4 Encounter for screening for malignant neoplasm of cervix</li> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z12.31 Encounter for screening mammogram for malignant neoplasm of breast</li> </ul>
		Glucose/I procedure per calendar year	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	<ul> <li>Z12.39 Encounter for other screening for malignant neoplasm of breast</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>
		• Flexible sigmoidoscopy/I procedure every five years or colonoscopy/I procedure every ten years/beginning at age 45 <sup>3</sup>	<ul> <li>Sigmoidoscopy, flexible: G0104, G6022, 45330, 45331, 45333, 45338, 45339, 45346, 44388, 44389, 44392, 44394, 44401, 45330, 45331, 45333, 45338, 45339, 45346</li> <li>Colonoscopy: G0105, G0121, G6019, G6024, 44388, 44389, 44392, 44394, 44401, 45355, 45378, 45380,</li> </ul>	5
			45381, 45383, 45384, 45385, 45388, 45390	

<sup>&</sup>lt;sup>2</sup> See page 12 for additional glucose screening guidelines

<sup>&</sup>lt;sup>3</sup> See page 12 for additional cancer screening guidelines





		Procedures Recommended/	CDT C I A I I	
Age	Sex	Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-I0-CM Code
40-49 years	М	Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year  (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  Blood pressure, height and weight/I procedure per calendar year  Immunizations  Lipid profile/I procedure per calendar year	99386: Initial preventive medicine evaluation 99396: Periodic preventive medicine re-evaluation      See immunization codes.     80061: Lipid profile	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings      Z13.220 Encounter for screening for lipid disorders
		Glucose/I procedure per calendar year	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus
		Flexible sigmoidoscopy/I procedure every five years or colonoscopy/I procedure every ten years/beginning at age 45 <sup>3</sup>	<ul> <li>Sigmoidoscopy, flexible: G0104, G6022, 45330, 45331, 45333, 45338, 45339, 45346, 44388, 44389, 44392, 44394, 44401, 45330, 45331, 45333, 45338, 45339, 45346</li> <li>Colonoscopy: G0105, G0121, G6019, G6024, 44388, 44389, 44392, 44394, 44401, 45355, 45378, 45380, 45381, 45383, 45384, 45385, 45388, 45390</li> </ul>	
50 years and older (Continued on page 7.)	F	Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year  (As part of preventive medicine evaluation or re-evaluation preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year  Breast exam/I procedure per calendar year	99386, 99387: Initial preventive medicine evaluation 99396, 99397: Periodic preventive medicine re-evaluation	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings      Z12.39 Encounter for other screening for malignant neoplasm of breast
		Baseline Bone Density of hips or spine/I procedure per lifetime beginning at 65 years of age Immunizations Pelvic exam/I procedure per calendar year Pap smear/I procedure for women ages 50 through 65 every 3 years or I procedure every 5 years with HPV test	<ul> <li>77080: Dual-energy x-ray absorptiometry</li> <li>See immunization codes.</li> <li>88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear</li> <li>87624, 87625, 0500T: HPV test</li> </ul>	<ul> <li>Z13.820 Encounter for screening for osteoporosis</li> <li>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.72 Encounter for screening for malignant neoplasm of vagina</li> <li>Z12.4 Encounter for screening for malignant neoplasm of cervix</li> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z12.31 Encounter for screening mammogram for malignant neoplasm of breast</li> <li>Z12.39 Encounter for other screening for malignant neoplasm of breast</li> </ul>

<sup>&</sup>lt;sup>3</sup> See page 12 for additional cancer screening guidelines





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
50 years and older (Continued from page 6.)	F	Lipid profile/I procedure per calendar year     Mammogram/I procedure per calendar year or every 2 years      Flexible sigmoidoscopy/I procedure every five years or colonoscopy/I procedure every ten years/beginning at age 45³	<ul> <li>80061: Lipid profile</li> <li>77067: Mammography</li> <li>77063: Screening digital breast tomosynthesis bilateral All mammography codes can be filed with modifier 26 for the interpretation of the mammogram.</li> <li>Sigmoidoscopy, flexible: G0104, G6022, 45330, 45331, 45333, 45338, 45339, 45346, 44388, 44389, 44392, 44394, 44401, 45330, 45331, 45333, 45338, 45339, 45346</li> <li>Colonoscopy: G0105, G0121, G6019, G6024, 44388, 44389, 44392, 44394, 44401, 45355, 45378, 45380, 45381, 45383, 45384, 45385, 45388, 45390</li> </ul>	<ul> <li>Z12.12 Encounter for screening for malignant neoplasm of rectum</li> <li>Z12.11 Encounter for screening for malignant neoplasms of colon</li> <li>Z11.51 Encounter for screening for intestinal infectious diseases</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>
		Glucose/I procedure per calendar year	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	
50 years and older	M	Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year Immunizations	99386, 99387: Initial preventive medicine evaluation 99396, 99397: Periodic preventive medicine re-evaluation      See immunization codes.	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> </ul>
		Lipid profile/I procedure per calendar year     Flexible sigmoidoscopy/I procedure every five years or colonoscopy/I procedure every ten years/beginning at age 45³	<ul> <li>80061: Lipid profile</li> <li>Sigmoidoscopy, flexible: G0104, G6022, 45330, 45331, 45333, 45338, 45339, 45346, 44388, 44389, 44392, 44394, 44401, 45330, 45331, 45333, 45338, 45339, 45346</li> <li>Colonoscopy: G0105, G0121, G6019, G6024, 44388, 44389, 44392, 44394, 44401, 45355, 45378, 45380,</li> </ul>	<ul> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z12.12 Encounter for screening for malignant neoplasm of rectum</li> <li>Z12.11 Encounter for screening for malignant neoplasms of colon</li> <li>Z11.51 Encounter for screening for intestinal infectious diseases</li> </ul>
		Glucose/I procedure per calendar year	45381, 45383, 45384, 45385, 45388, 45390 • 82947: Glucose, quantitative 82948: Glucose, blood, reagent strip • 36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>3</sup> See page 12 for additional cancer screening guidelines



Healthy You!
Preventive/Wellness Diagnosis Codes





(The diagnosis codes listed in the table below should be used to report preventive/wellness evaluations.)

- Use diagnosis codes Z00.121, Z00.129, Z00.111, Z00.00, Z00.01, Z01.411, or Z01.419 whenever preventive/wellness evaluation and management (E/M) services are reported on the claim (other services may also be reported on the claim).
- Use diagnosis code Z23 to report preventive/wellness evaluations when the only service performed during the encounter is the administration of immunizations.
- Use diagnosis codes Z12.39, Z12.31, Z12.39, Z12.4, Z12.12, Z12.72, Z11.51, or Z12.11 to report special screenings for a specific disease (e.g., breast cancer).

ICD-10-CM Code	Code Text
Z23	Encounter for immunization
Z00.121	Encounter for routine child health examination with abnormal findings
Z00.129	Encounter for routine child health examination without abnormal findings
Z00.111	Health examination for newborn 8 to 28 days old
Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z12.39	Encounter for other screening for malignant neoplasm of breast
Z12.31	Encounter for screening mammogram for malignant neoplasm of breast
Z12.39	Encounter for other screening for malignant neoplasm of breast
Z12.4	Encounter for screening for malignant neoplasm of cervix
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z12.72	Encounter for screening for malignant neoplasm of vagina
Z11.51	Encounter for screening for intestinal infectious diseases
Z12.11	Encounter for screening for malignant neoplasm of colon
Z13.1	Encounter for screening for diabetes mellitus
Z13.220	Encounter for screening for lipid disorders
Z13.820	Encounter for screening for osteoporosis

<sup>\*</sup> Routine vision and hearing testing is not reimbursed as a separate procedure but is considered a component of the preventive medicine evaluation or re-evaluation.



#### Healthy You! Codes for Immunizations and Skin Test



It's good to be Blue.

CPT Code	CPT Code Text
G0008	Administration of influenza virus vaccine
G0009	Administration of pneumococcal vaccine
G0010	Administration of hepatitis B vaccine
Q2035	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (AFLURIA)
Q2036	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FL ULA VAL)
Q2037	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLUVIRIN)
Q2038	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (Fluzone)
000IA	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; first dose
0002A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; second dose
0003A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; third dose
0004A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; booster dose
0011A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; first dose
0012A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; second dose

CPT Code	CPT Code Text
0013A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5 mL dosage; third dose
0031A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage; single dose
0034A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage; booster dose
0064A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, booster dose
0071A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; first dose
0072A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; second dose
86580	Skin test; tuberculosis, intradermal
90460	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first vaccine/toxoid component (New 01/01/2011)
90461	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine/toxoid component (List separately in addition to code for primary procedure.) (New 01/01/2011)
90470	HINI immunization administration (intramuscular, intranasal), including counseling when performed (Effective 09/28/2009)
90471	Immunization administration; one vaccine
90472	Immunization administration; each additional vaccine
90619	Meningococcal conjugate vaccine, serogroups A, C,W,Y, quadrivalent, tetanus toxoid carrier (MenACWY-TT), for intramuscular use

#### Healthy You! Codes for Immunizations and Skin Test



It's good to be Blue.

CPT Code	CPT Code Text
90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B (MenB), 2 dose schedule, ages 10-25, for intramuscular use
90621	Meningococcal recombinant lipoprotein vaccine, serogroup B (MenB), 3 dose schedule (0,2,6 months), ages 10-25, for intramuscular use
90630	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, ages 18-64, for intradermal use (Code reinstated 01012015)
90632	Hepatitis A vaccine, adult dosage, for intramuscular use
90633	Hepatitis A vaccine, pediatric/adolescent dosage-2 dose schedule, for intramuscular use
90634	Hepatitis A vaccine, pediatric/adolescent dosage-3 dose schedule, for intramuscular use
90636	Hepatitis A and B vaccine (HepA-HepB), adult dosage, for intramuscular use
90644	Meningococcal conjugate vaccine, serogroups C & Y and haemophilus influenzae B vaccine (Hib-MenCY), 4 dose schedule, ages 2-18 months, for intramuscular use (Desc revised 7/1/2015)
90647	Hemophilus influenza b vaccine (Hib), PRP-OMP conjugate (3 dose schedule), for intramuscular use
90648	Hemophilus influenza b vaccine (Hib), PRP-T conjugate (4 dose schedule), for intramuscular use
90649	Human Papilloma Virus (HPV) vaccine, types 6, 11, 16, 18 (quadrivalent), 3 dose schedule, for intramuscular use, ages 9-26, once per lifetime (includes Gardasil).
90650	Human Papilloma Virus (HPV) vaccine, types 16, 18, bivalent, 3 dose schedule (0, 1, 6 mos.), for intramuscular use, ages 9-26, once per lifetime (includes Cervarix).
90651	Human Papilloma Virus (HPV) vaccine, types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent, 3 dose schedule, for intramuscular use, ages 9-45, once per lifetime (Gardasil 9).
90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90654	Influenza virus vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use
90655	Influenza virus vaccine, split virus, preservative free, 6-35 months dosage, for intramuscular or jet injection use
90656	Influenza virus vaccine, split virus, preservative free, ages 3-18 years, for intramuscular use
90657	Influenza virus vaccine, split virus, 6-35 months dosage, for intramuscular or jet injection use

CPT Code	CPT Code Text
90658	Influenza virus vaccine, split virus, ages 3-18 years, for intramuscular use
90660	Influenza virus vaccine, live, ages 2-49, for intranasal use (FluMist®) **
90661	Influenza virus vaccine, derived from cell cultures, subunit, preservative and antibiotic free, for intramuscular use, ages 18 and above
90662	Influenza virus vaccine, split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use, ages 65 and above
90670	Pneumococcal conjugate vaccine, 13 valent, for intramuscular use
90672	Influenza virus vaccine, quadrivalent, live, ages 2-49, for intranasal use
90673	Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90674	Influenza virus vaccine, quadrivalent, ages 4 and older, for intramuscular use
90680	Rotavirus vaccine, pentavalent, 3 dose schedule, live, ages 2-8 months, for oral use
90681	Rotavirus vaccine, human, attenuated, 2 dose schedule, live, ages 2-5 months, for oral use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90685	Influenza virus vaccine, split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use
90686	Influenza virus vaccine, split virus, preservative free, when administered to individuals 3 years of age and older, for intramuscular use
90687	Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular use
90688	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use
90689	Influenza virus vaccine quadrivalent (IIV 4 ), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular use
90694	Influenza virus vaccine, quadrivalent ( allV 4 ), inactivated, adjuvanted, preservative free, 0.5 mL dosage, for intramuscular use
90696	Diphtheria, tetanus toxoids, acellular pertussis vaccine and polio virus vaccine, inactive (DTaP-IPV), when administered to children 4 years through 6 years of age, for intramuscular use

<sup>\*\*</sup> FluMist® is recommended for patients 2-49 years of age. FluMist® is not recommended for patients who are pregnant, immunocompromised, actively wheezing, less than 5 years of age and currently wheezing, have a history of Guillain-Barre syndrome, or have asthma or other underlying medical condition that predisposes them to influenza complications.



It's good to be Blue.



	11 1 ()
CPT Code	CPT Code Text
90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use
90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hemophilus influenza B and polio virus vaccine, inactivated (DTaP-Hib-IPV) for intramuscular use
90700	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTap) when administered to individuals younger than 7 years, for intramuscular use
90702	Diphtheria and tetanus toxoids (DT) absorbed when administered to individuals younger than 7 years, for intramuscular use
90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use *
90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use *
90713	Poliomyelitis vaccine, inactivated, (IPV), for subcutaneous or intramuscular use
90714	Tetanus and diphtheria toxoids (Td) absorbed, preservative free, when administered to individuals 7 years or older, for intramuscular use
90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (TdaP), when administered to individuals 7 years or older, for intramuscular use
90716	Varicella virus vaccine, live, for subcutaneous use
90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and polio virus vaccine, inactivated (DtaP-HepB-IPV), for intramuscular use
90732	Pneumococcal polysaccharide vaccine, 23-valent, adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use
90734	Meningococcal conjugate vaccine, serogroups A, C,Y and W-135, (tetravalent), ages 2-55, for intramuscular use
90736	Zoster (shingles) vaccine, live, for subcutaneous injection. Zostavax vaccine for shingles for individuals age 50 and older, once per lifetime.
90739	Hepatitis B vaccine (HepB), adult dosage, 2 dose schedule, for intramuscular use
90740	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (3 dose schedule), for intramuscular use
90743	Hepatitis B vaccine, adolescent (2 dose schedule), for intramuscular use
90744	Hepatitis B vaccine, pediatric/adolescent dosages (3 dose schedule), for intramuscular use
90746	Hepatitis B vaccine, adult dosage, for intramuscular use

CPT Code	CPT Code Text	
90747	Hepatitis B vaccine, dialysis immunosuppressed patient dosages (4 dose schedule), for intramuscular use	
90748	Hepatitis B and Hemophilus influenza B vaccine (HepB-Hib), for intramuscular use	
90750	Zoster (shingles) vaccine (HZA), recombinant, subunit, adjuvanted, for intramuscular use	
90756	Influenza virus vaccine, quadrivalent (CCIIV4), derived from cell cultures, subunit, antibiotic free, 0.5 ml dosage, for intramuscular use	
90759	Hepatitis B vaccine, 3-antigen (S, Pre-S1, Pre-S2), 10 mcg dosage, 3 dose schedule, for intramuscular use	
91300	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use	
91301	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mc-g/0.5mL dosage, for intramuscular use	
91303	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage, for intramuscular use	
91304	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage, for intramuscular use	
91305	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use	
91306	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, for intramuscular use	
91307	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use	
91308	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use	
91309	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	

<sup>\*</sup> Rubella Screening for Women of Childbearing Age: If patient is not pregnant and vaccination history is unknown, provide vaccination. Serology is not recommended prior to vaccination for non-pregnant women. If patient is pregnant, serology is recommended. If serology is negative, provide vaccination after delivery.



It's good to be Blue.



CPT Code	CPT Code Text
91311	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use
91312	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, for intramuscular use
91313	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use
91314	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use
91315	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use
004IA	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; first dose
0042A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; second dose
0044A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; booster dose
0051A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; first dose
0052A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; second dose
0053A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; third dose
0052A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose form lation; first dose  Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; second dose  Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose

CPT Code	CPT Code Text
0054A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; booster dose
0073A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; third dose
0074A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; booster dose
0081A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; first dose
0082A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; second dose
0083A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; third dose
0091A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; first dose, when administered to individuals 6 through 11 years
0092A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; second dose, when administered to individuals 6 through 11 years
0093A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; third dose, when administered to individuals 6 through 11 years



It's good to be Blue.



CPT Code	CPT Code Text
0094A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; booster dose, when administered to individuals 18 years and over
0111A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage; first dose
0112A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage; second dose
0113A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage; third dose
0124A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, booster dose
0134A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, booster dose
0144A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, booster dose
0154A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, booster dose
M0201	COVID-19 vaccine administration inside a patient's home; reported only once per individual home, per date of service, when only COVID-19 vaccine administration is performed at the patient's home

#### Healthy You! Counseling Recommendations



It's good to be Blue.

You should provide preventive counseling on the following topics to patients of the appropriate age or stage of development. Preventive counseling and risk assessment are an integral part of preventive medicine evaluations and re-evaluations. Preventive counseling should also be provided as appropriate during other patient encounters.

Торіс	Age(s) to Consider Counseling for Patient and/or Parent
Counseling to promote physical activity	All ages
Counseling to promote a healthy diet and healthy weight	All ages
Counseling to prevent or stop smoking / tobacco use	Ages 9 and up
Counseling to promote achievement of developmental milestones and healthy cognition	infancy-adolescence
Counseling to promote healthy emotional and social well-being	All ages
Counseling to prevent chronic health disease related to personal or family health risk factors	All ages
Counseling to prevent motor and sports vehicle injury to include speed and use of car seats, seat belts and helmets	All ages
Counseling to prevent household and recreational injuries	All ages
Counseling to prevent lead exposure and identify exposure risk	6 months - 6 years
Counseling to prevent alcohol / drug abuse	Ages 9 and up
Counseling to prevent unintended pregnancy	As appropriate based on stage of development and sexual activity
Counseling to prevent sexually transmitted diseases	As appropriate based on stage of development and sexual activity

#### Additional Screening Guidelines for Cholesterol, Glucose and Cancer:

- Annual lipid profile screenings are available beginning at age 2.
  - High-risk individuals should have their first lipid profile screening before age 11.A fasting lipid profile is the recommended screening method. If values are within the normal reference range, the patient should be retested in 3-5 years. High-risk is defined as a family history of high lipids or early CVD; or unknown history; or other CVD risk factors such as overweight, obesity, hypertension or diabetes.
- Annual glucose screenings are available for high-risk individuals between the ages of 3 - 39.

High-risk individuals are defined as follows:

 Family history of diabetes (i.e., parents or siblings with diabetes)

- Obesity
- Blood pressure of 135/80 or greater
- Race/ethnicity (i.e., African-Americans, Hispanic-Americans, Native Americans, Asian-Americans, or Pacific Islanders)
- Previously identified pre-diabetic or diagnosed diabetic
- Low HDL cholesterol or high triglycerides
- History of gestational diabetes
- Flexible sigmoidoscopy and colonoscopy is available between the ages of 45-75:

Consultations are not covered under Healthy You!.

Additional screenings (flexible sigmoidoscopy, colonoscopy) for individuals considered to be at high risk for colorectal cancer, as outlined below, may be covered under the appropriate medical portion of your health plan.

High-risk individuals in this category are defined as follows:

Strong family history of colorectal cancer or polyps

- (in first-degree relative younger than 60 or two first-degree relatives of any age). A first-degree relative is defined as a parent, sibling or child.
- Known family history of colorectal cancer syndromes
- Personal history of colorectal cancer polyps

Please note: The Healthy You! benefit covers only one of these visits per calendar year for patients. If a patient is referred to another provider to complete the wellness screening test(s) or for a consultation visit, only the wellness screening test(s) will be covered under the Healthy You! wellness benefit. Subsequent office visits and/or consultations are not covered under the Healthy You! wellness benefit. OB/GYNs may report code 99402 (Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes) when seeing the patient for a subsequent visit.